


DHT11 DHT22 sensors at RH29



~t=24.0, ~RH=28.8

Keyestudio DHT11	Asair AM2302 (DHT22) 4-8\$	
n/a	SNI 11820009FA	SNI 11820010D1
t: 24.60 RH: 20.00	t: 24.20 RH: 30.90	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.20
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 31.00	t: 24.20 RH: 31.10
t: 24.60 RH: 20.00	t: 24.20 RH: 30.90	t: 24.20 RH: 31.10