


01 OrangeBlur Nous NF9 firmware

Firmware	NOUS_NF9_high_bitrate_corected_ae_v1.rar	Original firmware NOB03
Boot Logo		
PowerOff Logo		
Player Version	RegistratorViewer 6	CarDV Viewer 1.9
Icons		
STAMP		
Filenames		

Bitrates

123 Bitrate Editor 1.0.3

Default search pattern © 2015 Tobit@s - dc.p-mc.eu services

Bitrate Table View

	Bitrate	Range[min]	Range[max]	Type
0	25.0	1.0	1.0	3
1	18.0	1.0	1.0	3
2	12.0	1.0	1.0	3
3	25.0	1.0	1.0	3
4	18.0	1.0	1.0	3
5	12.0	1.0	1.0	3
6	25.0	1.0	1.0	3
7	18.0	1.0	1.0	3
8	12.0	1.0	1.0	3
9	25.0	1.0	1.0	3
10	18.0	1.0	1.0	3
11	12.0	1.0	1.0	3
12	12.0	1.0	1.0	3
13	10.0	1.0	1.0	3
14	8.0	1.0	1.0	3
15	12.0	1.0	1.0	3
16	10.0	1.0	1.0	3
17	8.0	1.0	1.0	3
18	15.0	1.0	1.0	3
19	10.0	1.0	1.0	3

Custom offset (dec):

Custom length (dec):

Load from PRI Apply changes

123 Bitrate Editor 1.0

Default search pattern

Bitrate Table View

	Bitrate
0	18.0
1	15.0
2	12.0
3	18.0
4	15.0
5	12.0
6	18.0
7	15.0
8	12.0
9	18.0
10	15.0
11	12.0
12	15.0
13	12.0
14	10.0
15	15.0
16	12.0
17	10.0
18	15.0
19	12.0

Custom offset (dec):

Custom length (dec):

AE

AETable Editor 1.0

Load Table Save [min value: 0; max value: 5] © 2015 Tobit@s - dc.p-mc.eu services

CENTER AVERAGE SPOT

AE sensitivity values

0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	2	2	1	1	1	1	1
1	1	1	1	2	3	3	2	1	1	1	1
1	1	1	2	3	3	3	3	2	1	1	1
1	1	2	4	4	4	4	4	2	1	1	1
1	1	2	3	4	5	5	4	3	2	1	1
1	2	2	2	2	2	2	2	2	2	1	1
0	0	0	0	0	0	0	0	0	0	0	0

RTS216_C
2015.0114 14:57:59

AETable Editor 1.0

Load Table Save

CENTER AVERAGE SPOT

AE sensitivity values

1	1	1
1	1	1
1	1	1
1	1	1
1	1	2
1	1	2
1	2	3
0	0	0

